
Subject: Re: Plugin Framework

Posted by [mirek](#) on Fri, 13 Aug 2010 07:22:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

tojocky wrote on Sun, 07 February 2010 15:55Mirek,

I found the answer of your question:

- IPC(Inter process communication):

<http://dev.chromium.org/developers/design-documents/inter-process-communication>

- multi process architecture: <http://dev.chromium.org/developers/design-documents/multi-process-architecture>

With respect, Ion Lupascu (tojocky)

luzr wrote on Tue, 02 February 2010 20:18tojocky wrote on Tue, 02 February 2010 03:18Hello All!

I found very interesting article from Google Chrome about multiprocess, and how every plugin is in separate process. In this way it is possible to make plugin more safety. it is possible to kill process safety!

I am 100% for this approach! Whenever I was thinking about safe plugin architecture, I have always ended with something like this.

The only problem is how to achieve effective and maintainable communication between both process. And how to use that to do GUI...

In the one big application I am working on now, we are using intensively using XmlRpc to communicate with backend.

I have to say that the current XmlRpc package has quite good usability even without external marshalling utilities (that are used in e.g. good old Corba). Now I am not saying that we should use XmlRpc - that one is perhaps way too ineffective, but the style with XMLRPC_METHOD is quite good and simple...

[http://www.ultimatepp.org/reference\\$XmlRpcServer\\$en-us.html](http://www.ultimatepp.org/reference$XmlRpcServer$en-us.html)

[http://www.ultimatepp.org/reference\\$XmlRpcClient\\$en-us.html](http://www.ultimatepp.org/reference$XmlRpcClient$en-us.html)