
Subject: ProtectServer and SMTP setting

Posted by [idkfa46](#) on Sat, 11 Jun 2016 10:02:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi guys,

it has been a long time since I wrote you on the forum but now I'm here again asking for you help.

I have a problem with ProtectServer setting, I'm no longer able to set it correctly to send mails.

ProtectServer - main.cpp

```
// both solutions...
server
.GetSmtp()
.Host("mail.matteomosconi.com")
.Port(587)
;
.GetSmtp()
.Host("smtp.gmail.com")
.Port(587)
;
```

Protect - ProtectServer.cpp

```
// sends activation mail to user
bool ProtectServer::SendActivationMail(VectorMap<String, Value> const &userData, String const
&locale)
{
...

smtp.New();
smtp.TimeSent(GetSysTime());
smtp.Auth("xxxxxxxxxx","xxxxxxxxxx");
smtp.To(userData.Get("EMAIL"));
smtp.Subject(subject);
smtp.From(serverVars.Get("SERVER_NAME"));
smtp.Text(body, mime);
return smtp.Send();
}
```

I tried to set smtp.SLL() (for google account) but when I compile i receive the following error:

C:\Users\Matteo\Dropbox\2_Sviluppo++\Workspace_upp\Protect\ProtectServer.cpp(794) : error
C2039: 'SSL' : is not a member of '
Upp::SmtpMail'

c:\lupp\uppsrc\web\smtp.h(2) : see declaration of 'Upp::SmtMail'

Protect: 8 file(s) built in (0:02.91), 364 msec / file, duration = 4844 msec, parallelization 100%
\$blitz.cpp

Cypher: 3 file(s) built in (0:00.87), 293 msec / file, duration = 1515 msec, parallelization 71%

There were errors. (0:05.26)

Someone can you help me about it? I have a working compiled version of the ProtectServer (without SLL) but I forget the setting....

Long time ago I read on the forum about a php version of the ProtectServer... is it working?

Thanks for your time. Regards,
Matteo
