
Subject: Re: 701-dev1 / 2007.1beta on Mac OSX
Posted by [lundman](#) on Mon, 09 Apr 2007 01:09:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

Using MacPorts, I installed:

```
"port install zlib"  
"post install libpng"
```

I did not need to install anything Xft and the like. This is on three machines now (from scratch too, OSX install CD on).

But in case it matters:

[Users/lundman] > installed

The following ports are currently installed:

```
autoconf @2.60_0 (active)  
bash @3.2.9_0 (active)  
centericq @4.21.0_1 (active)  
expat @2.0.0_1 (active)  
gettext @0.16.1_0 (active)  
glib2 @2.12.7_0 (active)  
ispell @3.3.02_0 (active)  
kermit @8.0.209_0 (active)  
libiconv @1.11_0+darwin_8 (active)  
libpcap @0.9.4_0 (active)  
libpng @1.2.15_0+darwin_8+darwin_8_i386 (active)  
libusb @0.1.12_0 (active)  
lrzsz @0.12.20_0 (active)  
minicom @2.1_1+darwin_8 (active)  
mtr @0.72_0 (active)  
nmap @4.20_0 (active)  
openssl @0.9.8d_0+darwin_8 (active)  
pcre @7.0_0 (active)  
perl5.8 @5.8.8_0+darwin_8 (active)  
pkgconfig @0.21_0 (active)  
zlib @1.2.3_0+darwin_8_i386 (active)
```

lundman@shinken(/Users/lundman/Desktop/upp-2007.1rc5/out/ide/GCC32_UNI_i386.Gui.Main.S
hared) otool -L ide
ide:

```
/usr/X11R6/lib/libX11.6.dylib (compatibility version 6.2.0, current version 6.2.0)  
/usr/X11R6/lib/libXft.2.dylib (compatibility version 2.1.0, current version 2.1.0)  
/usr/X11R6/lib/libfontconfig.1.dylib (compatibility version 1.0.0, current version 1.0.0)
```

```

/usr/X11R6/lib/libXrender.1.dylib (compatibility version 1.2.0, current version 1.2.0)
/usr/X11R6/lib/libfreetype.6.dylib (compatibility version 6.3.0, current version 6.3.0)
/usr/X11R6/lib/libexpat.0.dylib (compatibility version 0.4.0, current version 0.4.0)
/opt/local/lib/libz.1.dylib (compatibility version 1.0.0, current version 1.2.3)
/opt/local/lib/libpng.3.dylib (compatibility version 19.0.0, current version 19.0.0)
/usr/lib/libstdc++.6.dylib (compatibility version 7.0.0, current version 7.4.0)
/usr/lib/libgcc_s.1.dylib (compatibility version 1.0.0, current version 1.0.0)
/usr/lib/libSystem.B.dylib (compatibility version 1.0.0, current version 88.3.6)
lundman@shinken(/Users/lundman/Desktop/upp-2007.1rc5/out/ide/GCC32_UNI_i386.Gui.Main.S
hared) echo $DISPLAY
:0.0

```

```

lundman@shinken(/Users/lundman/Desktop/upp-2007.1rc5/out/ide/GCC32_UNI_i386.Gui.Main.S
hared) ktrace -di ./ide
lundman@shinken(/Users/lundman/Desktop/upp-2007.1rc5/out/ide/GCC32_UNI_i386.Gui.Main.S
hared) kdump | less
[snippage]

```

```

665 ide  NAMI  "/etc/fonts/fonts.conf"
665 ide  RET   access 0
665 ide  CALL  open(0xe02070,0,0x1b6)
665 ide  NAMI  "/etc/fonts/fonts.conf"
665 ide  RET   open 4
665 ide  CALL  fstat(0x4,0xbffff2b0)
665 ide  RET   fstat 0
665 ide  CALL  read(0x4,0x200ac00,0x1000)
665 ide  GIO   fd 4 read 4096 bytes
        "<?xml version='1.0'?>"
        "<!DOCTYPE fontconfig SYSTEM 'fonts.dtd'">"
        "<!-- /etc/fonts.conf file to configure system font access -->"
        "<fontconfig>"

```

```

[snip]
665 ide  NAMI  "/Users/lundman/.fonts.conf"
665 ide  RET   access -1 errno 2 No such file or directory
665 ide  CALL  access(0xe03200,0x4)
665 ide  NAMI  "/etc/fonts/local.conf"
665 ide  RET   access -1 errno 2 No such file or directory

```

```

[snip]
665 ide  CALL  open(0xe02030,0,0x1b6)
665 ide  NAMI  "/Users/lundman/.fonts.cache-1"
665 ide  RET   open 4

```

Whole lot of font reading here..

```

[snip]

```

Also tried clearing my env, including locale, and DISPLAY. Still runs just fine.

For those with a working IDE:

File Attachments

1) [01assembly.jpg](#), downloaded 1983 times

