
Subject: How to get and set window placement information?

Posted by [Tom1](#) on Thu, 06 Mar 2008 10:20:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

How do I get and set TopWindow placement information? I'm attempting to save and then on next program launch restore the window position and normal / minimize / maximize / fullscreen status of the window. The flags are clearly available from TopWindow::IsMinimized() etc. but the position acquired with GetRect() simply returns the current size even if the window is maximized.

Are there member functions for setting and getting the "normal" (i.e. not minimized or maximized) window rect?

// Tom

Subject: Re: How to get and set window placement information?

Posted by [mrjt](#) on Thu, 06 Mar 2008 10:29:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

See TopWindow::SerializePlacement().

Subject: Re: How to get and set window placement information?

Posted by [Tom1](#) on Thu, 06 Mar 2008 10:56:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

mrjt wrote on Thu, 06 March 2008 12:29 See TopWindow::SerializePlacement().

Thanks, but unfortunately the TopWindow::SerializePlacement() appears to use the SetRect/GetRect in the standard way and is not able to store the "normal" i.e. restored rect size if the window is maximized or minimized when saving data through SerializePlacement(). You can see this if you try to normalize = restore the window after loading a maximized window placement using SerializePlacement().

So, the question remains: Are there member functions for setting and getting the "normal" (i.e. not minimized or maximized) window rect?

// Tom

Subject: Re: How to get and set window placement information?

Posted by [mrjt](#) on Thu, 06 Mar 2008 11:30:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

I see, I'd never noticed that before. It seems that Upp doesn't retain this information, rather it is

done by the operating system.

But you can add the functionality easily enough:

```
class CtrlLibTest : public TopWindow {
public:
    typedef CtrlLibTest CLASSNAME;
    Rect normal;

    CtrlLibTest()
    {
        SetRect(0, 0, 308, 344);
        CenterScreen();
        normal = GetRect();
        Sizeable().MaximizeBox(true).MinimizeBox(true);

        FileIn in(GetDataFile("window.pos"));
        if (in.IsOpen()) {
            in % normal;
            SetRect(normal);
            SerializePlacement(in, true);
        }
    }

    virtual void Layout() {
        if (!IsMaximized() && !IsMinimized() && IsShown())
            normal = GetRect();
    }

    virtual void Close()
    {
        FileOut out(GetDataFile("window.pos"));
        if (out.IsOpen()) {
            out % normal;
            SerializePlacement(out);
        }
        TopWindow::Close();
    }
};
```

Subject: Re: How to get and set window placement information?

Posted by [Tom1](#) on Thu, 06 Mar 2008 13:42:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks, James! I only added another && !IsFullScreen() to the Layout() function to take care of that scenario too. Now it should work all the way. However, I would like to see the following additions made to the TopWindow class, but I guess it's up to Mirek to decide, right?

Anyway:

```
private:
Rect normalrect;

public:
Rect &GetNormalWindowRect(){ return normalrect; }

void SetNormalWindowRect(Rect &rect){
    normalrect=rect;
    if (!IsMaximized() && !IsMinimized() && !IsFullScreen() && IsShown()) SetRect(rect);
}

virtual void Layout(){
    // or where ever the following belongs so that it
    // gets properly executed even when the virtual Layout()
    // function gets overridden in an inherited class
    ...
    if (!IsMaximized() && !IsMinimized() && !IsFullScreen() && IsShown()) normalrect = GetRect();
    ...
}

// Tom
```
