

---

Subject: gui crashes.

Posted by [sapiency](#) on Mon, 22 Dec 2008 00:49:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

hi,

I use Refresh() at the end of the method where I create an Element in the Vector.

The Method Paint() of my Window I have overloaded and it looks if there are new elements in the Vector. If so it clears the Tree and build it new. If I insert Elements in the Toolbar manually by clicking on the Button (very fast ) the gui crashes. I'm using Refresh() because I want to see the changes directly after I insert a new element.

Any Idea how to avoid this?

the logfile ...:

```
[12/22/2008 01:29:08.542] DeviceTree::createDummyDevice()
[12/22/2008 01:29:09.722] DeviceTree::createDummyDevice()
[12/22/2008 01:29:09.1003] DeviceTree::createDummyDevice()
[12/22/2008 01:29:09.1103] DeviceTree::createDummyDevice()
[12/22/2008 01:29:09.1303] DeviceTree::createDummyDevice()
[12/22/2008 01:29:09.1464] DeviceTree::createDummyDevice()
[12/22/2008 01:29:09.1634] DeviceTree::createDummyDevice()
[12/22/2008 01:29:10.1794] DeviceTree::createDummyDevice()
[12/22/2008 01:29:10.1954] DeviceTree::createDummyDevice()
[12/22/2008 01:29:10.2104] DeviceTree::createDummyDevice()
[12/22/2008 01:29:10.2295] DeviceTree::createDummyDevice()
[12/22/2008 01:29:10.2465] DeviceTree::createDummyDevice()
[12/22/2008 01:29:10.2635] DeviceTree::createDummyDevice()
[12/22/2008 01:29:11.2795] DeviceTree::createDummyDevice()
[12/22/2008 01:29:11.2986] DeviceTree::createDummyDevice()
[12/22/2008 01:29:11.3196] DeviceTree::createDummyDevice()
[12/22/2008 01:29:11.3386] DeviceTree::createDummyDevice()
[12/22/2008 01:29:11.3557] DeviceTree::createDummyDevice()
[12/22/2008 01:29:12.3717] DeviceTree::createDummyDevice()
[12/22/2008 01:29:12.3897] DeviceTree::createDummyDevice()
Assertion failed in c:\upp\uppsrc\CtrlCore\Win32Proc.cpp, line 77
IsNull(sPainting)
```

regards

reinhard

---

---

Subject: Re: gui crashes.

Posted by [mirek](#) on Mon, 22 Dec 2008 10:10:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Without the code, impossible to say. Do not waste the forum space with .bmp and send a testcase instead.

BTW, ideally make testcase as whole directory and make your forum nick a part of package name, like 'sapiency\_TreeDndBug1'.

Mirek

---

Subject: Re: gui crashes.

Posted by [sapiency](#) on Mon, 22 Dec 2008 14:06:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ok?

regards

reinhard

ps: I included a small jpg in the archive and will therefore remove the archive later ... I don't want to waste your disc - space on the server.

### File Attachments

---

1) [sapiency-treetest.zip](#), downloaded 486 times

---

Subject: Re: gui crashes.

Posted by [mrjt](#) on Mon, 22 Dec 2008 15:58:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I couldn't reproduce the problem with MSC8 on XP. I suspect the problem is caused by refilling the TreeCtrl in TopWindow::Paint. This should really be done when you add the new device, which would also make your code much shorter and cleaner.

There are a couple of other tips you might find useful:

- Instead of using 'new' to create the Devices you should make it Moveable or use Array. 'new' is almost never needed with Upp.
- Unless you are doing something very complicated in the real application you could just store the Devices directly in the TreeCtrl as keys, for even simpler code. If you add Value conversion to Devices:

```
operator Value() const { return RawToValue<Devices>(*this); }
Devices &operator=(const Value &v) { *this = ValueTo<Devices>(v); }
then your createDevice function becomes:
bool TreeTest::createDevice(int handle)
```

```
{
  Devices newDevice(handle, "0.0.0.0");
  newDevice.setName(Format("nummer: %d", _counter));
  _myTree.Add(0, Image(), newDevice, newDevice.getName());
  _counter++;
  return true;
}
```

This will also make Drag-Drop much easier as you don't have to mirror the changes in your storage container.

---

---

Subject: Re: gui crashes.

Posted by [sapiency](#) on Mon, 22 Dec 2008 19:13:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

hi,

thanks I try to get in Ultimate step by step and I'm glad to get tips. It's nice to see what's possible to do with 'Value'.

But I think it's much cheaper to store the devices in something like a Vector. Each device has more than 100 parameters and the devices are mostly connected to real Devices. There are different views on the structure placed in the main window.

Because I want that the tree shows the order too, I started to make the changes in the tree (D&D) directly in the Vector and therefore I have to sort the Devices in the Vector. Swapping pointers should be cheaper or?

Last night I was in for a shock when the gui crashed. I was happy to find a solution that fits to my idea and the requirements. Just working on a tree without direct link to the devicestructure.

But your tip shows me other possibilities.

Thanks.

reinhard

---

---

Subject: Re: gui crashes.

Posted by [sapiency](#) on Sat, 27 Dec 2008 22:38:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mrjt wrote on Mon, 22 December 2008 16:58I couldn't reproduce the problem with MSC8 on XP. I suspect the problem is caused by refilling the TreeCtrl in TopWindow::Paint. This should really be done when you add the new device, which would also make your code much shorter and cleaner.

I compiled it with the prebuild Release 643 ... No problems any more ...

But there are allways the same problems, even with the new example (see other post ) with the Release 2008.1 (with mingw) from July

regards  
reinhard

---