
Subject: is there a substring method?

Posted by [forlano](#) on Sat, 29 Apr 2006 21:06:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

according to Wiki doc I tried this to get a substring

```
String a = line.Mid(10&cedil; 10);
```

but the compiler cry:

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: stray '\184' in program
```

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: expected `)' before numeric constant
```

What is wrong with the previous code?

Luigi

Subject: Re: is there a substring method?

Posted by [fudadmin](#) on Sat, 29 Apr 2006 21:32:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

forlano wrote on Sat, 29 April 2006 22:06Hi,

according to Wiki doc I tried this to get a substring

```
String a = line.Mid(10&cedil; 10);
```

but the compiler cry:

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: stray '\184' in program
```

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: expected `)' before numeric constant
```

What is wrong with the previous code?

Luigi

first of all, too many ";" in one line - should be ", "...

Subject: Re: is there a substring method?

Posted by [forlano](#) on Sun, 30 Apr 2006 05:09:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

fudadmin wrote on Sat, 29 April 2006 23:32forlano wrote on Sat, 29 April 2006 22:06Hi,

according to Wiki doc I tried this to get a substring

```
String a = line.Mid(10&cedil; 10);
```

but the compiler cry:

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: stray '\184' in program
```

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: expected `)' before numeric constant
```

What is wrong with the previous code?

Luigi

first of all, to many "¸" in one line - should be ", "...

If you believe or not I've copied and pasted it from my code. In it there was not the stupid "¸" but ', '. So I wanted to post

```
String a = line.Mid(10 , 10);
```

After your answer I came to the code again and I saw that the ', ' was not a real ', ' but some sign between ', ' and ', ' that I do not how appeared. Very strange indeed but it is not a fairy and I do not smoke anything! So "¸" is the HTML code of this ghost sign.

Anyway, after the substitution with ', ' Mid(x,y) works and this is enough. .

Luigi

Subject: Re: is there a substring method?

Posted by [mirek](#) on Sun, 30 Apr 2006 05:56:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

forlano wrote on Sun, 30 April 2006 01:09fudadmin wrote on Sat, 29 April 2006 23:32forlano wrote on Sat, 29 April 2006 22:06Hi,

according to Wiki doc I tried this to get a substring

```
String a = line.Mid(10&cedil; 10);
```

but the compiler cry:

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: stray '\184' in program
```

```
C:\Vega\Vega3\ConnectDB.cpp:48: error: expected `)' before numeric constant
```

What is wrong with the previous code?

Luigi

first of all, to many "¸" in one line - should be ", "...

If you believe or not I've copied and pasted it from my code. In it there was not the stupid "¸" but ', '. So I wanted to post

```
String a = line.Mid(10 , 10);
```

After your answer I came to the code again and I saw that the ',' was not a real ',' but some sign between ',' and '.' that I do not how appeared. Very strange indeed but it is not a fairy and I do not smoke anything! So "¸" is the HTML code of this ghost sign.

Anyway, after the substitution with ',' Mid(x,y) works and this is enough. .

Luigi

Ahh, sorry to get you confused, cedilla is Assist++ thing (read docs). It is in order to make parameters selected... (if you press ',' before cedilla, next parameter gets selected so that you can enter it with the real value).

Mirek