
Subject: Http file download question

Posted by [koldo](#) on Wed, 23 May 2012 13:33:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello all

I am an absolute dummy in Http.

Based in nice GuiWebDownload demo I wanted to download a file. It works for default address "http://downloads.sourceforge.net/project/upp/upp/4179/upp-x1 1-src-4179.tar.gz" but not the intranet address I am trying. I this case it just returns .html text enclosed below.

Is there perhaps a way to do something else to inform the http server that I want to download that file?

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
```

```
"http://www.w3.org/TR/html4/frameset.dtd">
```

```
<!-- turing_cluster_prod -->
```

```
<html>
```

```
<head>
```

```
<title>myintranet.com</title>
```

```
<meta name="keywords" content="myintranet.com">
```

```
<meta name="description" content="myintranet.com">
```

```
<meta name="robots" content="INDEX, FOLLOW">
```

```
<meta name="revisit-after" content="10">
```

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
```

```
<script type="text/javascript">
```

```
cookie_callback = function(val) {
```

```
    var exdate=new Date();
```

```
    exdate.setFullYear(exdate.getFullYear() + 1);
```

```
    document.cookie = "Spusr=" + escape(val) +
```

```
        "; expires=" + exdate.toUTCString();
```

```
    document.cookie = "jsc=1";
```

```
}
```

```
</script> <script
```

```
src="http://dsparking.com/?epl=K1r1PWFL4whaUopc-k_sfvl965SQUDhFchf_sgtFFDZmEM9xLcw  
w6D2D4F0q9H3fDGpm0AEDjY5GA22FLci0zrMUnBwoBQN6Tt3TMBIFCvuC9zXtFdo4BnVJ0lZSo  
kakthURfpJVnlyDJnsBrmd8X_jATD0AqH6q6ZmoaZqmn6pBGgYa0MQ0MuWpBpUAIGDc778AA  
OB_AQAAQIBbCgAA-X3rIFITJlIBMTZoWkKdAAAA8A">
```

```
</script>
```

```
</head>
```

```
<frameset rows="100%,*" frameborder="no" border="0" framespacing="0">
```

```
<frame
```

```
src="http://www.myintranet.com?epl=VFSGxNHfvy2uTVdVdXhhUFxPrIlgoXCK5C6-cs2zArDoQJ  
QGnMIOuLYGd9Q_l1m4dj9N7K7fm5b0TV4HE0dOXJ8yKBCyqFhuCJ27BoeKHIQw2lYtFz_PpTW
```

```
ijmozkHpqHtVo4umpGgAAANAocgAgENynvwAAoH8BAABAgNsHAACuJ1ZBWVMmWUExNmha
QnIAAADw" name="myintranet.com">
</frameset>
<noframes>
<body>
  <a
href="http://www.myintranet.com?epl=VFSGxNHfvy2uTVDVdXhhUFxPrIlgoXCK5C6-cs2zArDoQJ
QGnMlOuLYGd9Q_l1m4dj9N7K7fm5b0TV4HE0dOXJ8yKBCyqFhuCJ27BoeKHIQw2lYtFz_PpTW
ijmozkHpqHtVo4umpGgAAANAocgAgENynvwAAoH8BAABAgNsHAACuJ1ZBWVMmWUExNmha
QnIAAADw">
  Click here to go to myintranet.com </a>.
</body>
</noframes>
</html>
```

Subject: Re: Http file download question
Posted by [mirek](#) on Wed, 23 May 2012 14:58:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, my first guess is that the download link does not actually lead to file to be downloaded, but is redirected via some javascript voodoo.

General advice to debug such problems: `HttpRequest::Trace()`, then look into `.log...` (or post here)

Subject: Re: Http file download question
Posted by [koldo](#) on Wed, 23 May 2012 16:51:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you Mirek

Log is here:

```
HTTP START
Starting status 2 'Resolving host name', url: myintranet
HTTP Execute: Resolving host name
HTTP StartConnect
HTTP AfterConnect
Starting status 6 'Sending request', url: myintranet
HTTP REQUEST myintranet:0
HTTP request:
GET http://myintranet/data/myfile/myfile.pdf HTTP/1.1
URL: http://myintranet/data/myfile/myfile.pdf
Host: myintranet
Connection: close
Accept: */*
```

Accept-Encoding: gzip
User-Agent: U++ HTTP request
Proxy-Authorization: Basic MjM4NTM6c29ycHJlc2E=

HTTP Execute: Sending request
Starting status 7 'Receiving header', url: myintranet
HTTP Execute: Receiving header
HTTP Header received:
HTTP/1.1 307 Temporarily Moved for Domain Name Expansion
Mime-Version: 1.0
Date: Wed, 23 May 2012 18:45:30 CEST
Connection: close
Proxy-Connection: close
Location: http://www.myintranet.com/data/myfile/myfile.pdf
Content-Length: 1670

HTTP status code: 307
Starting status 8 'Receiving content', url: myintranet
HTTP Execute: Receiving content
HTTP reading data 1670
HTTP Out 1670
--- HTTP redirect http://www.myintranet.com/data/myfile/myfile.pdf
HTTP START
Starting status 2 'Resolving host name', url: www.myintranet.com
HTTP Execute: Resolving host name
HTTP StartConnect
HTTP AfterConnect
Starting status 6 'Sending request', url: www.myintranet.com
HTTP REQUEST www.myintranet.com:0
HTTP request:
GET http://www.myintranet.com/data/myfile/myfile.pdf HTTP/1.1
URL: http://www.myintranet.com/data/myfile/myfile.pdf
Host: www.myintranet.com
Connection: close
Accept: */*
Accept-Encoding: gzip
User-Agent: U++ HTTP request
Proxy-Authorization: Basic MjM4NTM6c29ycHJlc2E=

HTTP Execute: Sending request
Starting status 7 'Receiving header', url: www.myintranet.com
HTTP Execute: Receiving header
HTTP Header received:
HTTP/1.1 200 OK
Cache-Control: private, no-cache, must-revalidate

Pragma: no-cache
Server: Oversee Turing v1.0.0
Content-Encoding: gzip
Content-Type: text/html
Expires: Mon, 26 Jul 1997 05:00:00 GMT
Keep-Alive: timeout=3, max=91
P3P: policyref="http://www.dsparking.com/w3c/p3p.xml", CP="NOI DSP COR ADMa OUR NOR STA"
Set-Cookie: parkinglot=1; domain=.myintranet.com; path=/; expires=Thu, 24-May-2012 16:45:30 GMT
Content-Length: 947
Date: Wed, 23 May 2012 16:45:30 GMT
Via: 1.1 ironport.myhost.com:8080 (IronPort-WSA/7.1.3-021)
Connection: close
Proxy-Connection: close

HTTP status code: 200
Starting status 8 'Receiving content', url: www.myintranet.com
HTTP Execute: Receiving content
HTTP reading data 947
HTTP Out 1744

Subject: Re: Http file download question
Posted by [mirek](#) on Sun, 03 Jun 2012 10:44:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, I suspect there is some javascript voodoo involved.

I would try putting the url into Google Chrome and use its excellent logging to find out what is the hell going on.

Subject: Re: Http file download question
Posted by [koldo](#) on Sun, 03 Jun 2012 13:39:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you Mirek

Unfortunately it is an intranet address.

Subject: Re: Http file download question
Posted by [tojocky](#) on Mon, 04 Jun 2012 00:58:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Koldo,

Welcome to web development.

When you reply to server, you have to add in response package header the correct mime type and 'Content-Disposition: attachment;'

for more details you can find on Wikipedia website.

Also very good lessons you can take from Node.JS + Connect and Express.JS packages.

I had a requirement to tell to client that it should be downloaded with a specific file name.

I hope if this a solution what are you looking for!

Update: Would you like to implement this job on client side or on server side?

Subject: Re: Http file download question

Posted by [koldo](#) on Mon, 04 Jun 2012 06:59:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you Ion

This is a kind of black magic for me.

I want to download and upload files from client side. I expected that there would be a direct way to do it (and in addition, a way to list the available files)

I do not know what is the "content type" to get a file. And now HttpRequest does not have a way to set "Content-Disposition".

Subject: Re: Http file download question

Posted by [mirek](#) on Mon, 04 Jun 2012 09:45:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Mon, 04 June 2012 02:59

I do not know what is the "content type" to get a file. And now HttpRequest does not have a way to set "Content-Disposition".

```
.Header("Content-Disposition", "attachement");
```

However, I doubt it is the problem.

The most direct way is to use chrome for http log (it will show you all http requests made by browser to download the file).

Subject: Re: Http file download question
Posted by [koldo](#) on Mon, 04 Jun 2012 10:54:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek

I have tried it with Chrome. I have entered in Developer Tools. However I do not know how to log html.

Subject: Re: Http file download question
Posted by [tojocky](#) on Mon, 04 Jun 2012 20:08:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

it exact what I expected.

Try this link. it is dirrect link.

Ok.

1. When you open the link a JavaScript event On page load is attached.
2. After the time is elapsed, dynamically is created an hidden control (frame with link... or can be something else. it less important) and it is fired.
3. It open the link: it open the link: http://downloads.sourceforge.net/project/upp/upp/4179/upp-x11-src-4179.tar.gz?r=http%3A%2F%2Fwww.ultimatepp.org%2Fforum%2Findex.php%3Ft%3Dmsg%26th%3D6738%26start%3D0%26&ts=1338838532&use_mirror=switch
with header:

Request

URL:http://downloads.sourceforge.net/project/upp/upp/4179/upp-x11-src-4179.tar.gz?r=http%3A%2F%2Fwww.ultimatepp.org%2Fforum%2Findex.php%3Ft%3Dmsg%26th%3D6738%26start%3D0%26&ts=1338838532&use_mirror=switch

Request Method:GET

Status Code:302 Found

Request Headersview source

Accept:text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Charset:ISO-8859-1,utf-8;q=0.7,*;q=0.3

Accept-Encoding:gzip,deflate,sdch

Accept-Language:en-US,en;q=0.8,ru;q=0.6,en-GB;q=0.4

Connection:keep-alive

Cookie: __utmx=191645736.00024592574091748957:1:1;

__utmxx=191645736.00024592574091748957:1338838533:2592000;

__utma=191645736.866235001.1338670652.1338810779.1338838044.5;

__utmb=191645736.8.9.1338838539021; __utmc=191645736;

__utmz=191645736.1338838044.5.5.utmcsrc=ultimatepp.org|utmccn=(referral)|utmcmd=referral|utmcct=/forum/index.php; __utmv=191645736.|5=AB%20Test=4091748957%3A1=1

Host:downloads.sourceforge.net

Referer:<http://sourceforge.net/projects/upp/files/upp/4179/upp-x11-src-4179.tar.gz/download?use>

_mirror=switch
User-Agent:Mozilla/5.0 (X11; Linux i686) AppleWebKit/536.5 (KHTML, like Gecko)
Chrome/19.0.1084.52 Safari/536.5
Query String Parametersview URL encoded
r:http://www.ultimatepp.org/forum/index.php?t=msg&th=6738&start=0&
ts:1338838532
use_mirror:switch
Response Headersview source
Access-Control-Allow-Origin:*
Content-Disposition:attachment; filename="upp-x11-src-4179.tar.gz"
Content-Length:0
Content-type:text/html
Date:Mon, 04 Jun 2012 19:35:39 GMT
Location:http://switch.dl.sourceforge.net/project/upp/upp/4179/upp-x11-src-4179.tar.gz
Server:lighttpd/1.4.26
Set-cookie:sf_mirror_attempt=upp:switch:/upp/upp/4179/upp-x11-src-4179.tar.gz; expires=Mon,
4-Jun-2012 19:37:39 GMT; Path=/

4. browser redirects to the advised link:

http://switch.dl.sourceforge.net/project/upp/upp/4179/upp-x11-src-4179.tar.gz
with header:

Request URL:http://switch.dl.sourceforge.net/project/upp/upp/4179/upp-x11-src-4179.tar.gz
Request Method:GET
Status Code:200 OK
Request Headersview source
Accept:text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Charset:ISO-8859-1,utf-8;q=0.7,*;q=0.3
Accept-Encoding:gzip,deflate,sdch
Accept-Language:en-US,en;q=0.8,ru;q=0.6,en-GB;q=0.4
Connection:keep-alive
Cookie: __utmx=191645736.00024592574091748957:1:1;
__utmxx=191645736.00024592574091748957:1338838533:2592000;
__utma=191645736.866235001.1338670652.1338810779.1338838044.5;
__utmb=191645736.8.9.1338838539021; __utmc=191645736;
__utmz=191645736.1338838044.5.5.utmcsr=ultimatepp.org|utmccn=(referral)|utmcmd=referral|ut
mcct=/forum/index.php; __utmv=191645736.|5=AB%20Test=4091748957%3A1=1
Host:switch.dl.sourceforge.net
Referer:http://sourceforge.net/projects/upp/files/upp/4179/upp-x11-src-4179.tar.gz/download?use
_mirror=switch
User-Agent:Mozilla/5.0 (X11; Linux i686) AppleWebKit/536.5 (KHTML, like Gecko)
Chrome/19.0.1084.52 Safari/536.5
Response Headersview source
Accept-Ranges:bytes
Connection:Keep-Alive
Content-Length:38392395
Content-Type:application/x-gzip
Date:Mon, 04 Jun 2012 19:35:39 GMT

ETag:"1e99f7-249d24b-4b20c1b1bc8c0"
Keep-Alive:timeout=15, max=100
Last-Modified:Sat, 19 Nov 2011 01:09:31 GMT
Server:Apache/2.2.16 (Debian)

be careful to the response

Content-Disposition:attachment; filename="upp-x11-src-4179.tar.gz"

this tag server tells to browser that this should be downloaded.

Hope if helped you.

Subject: Re: Http file download question
Posted by [mirek](#) on Tue, 05 Jun 2012 06:21:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

tojokey: With all respect, I believe your response is offtopic for this case.

koldo: In Chrome, enter "www.google.com", then click on white area and choose "Inspect element" from local menu. Bottom pane should be displayed. Choose "Network", then enter your intranet url, Chrome then will log all http traffic.

Subject: Re: Http file download question
Posted by [koldo](#) on Tue, 05 Jun 2012 07:01:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello

I have tried to follow Mirek instructions:

Request URL:http://myintranet/myfile.pdf
Request Method:GET
Status Code:304 Not Modified

Request Header

Accept:text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Charset:ISO-8859-1,utf-8;q=0.7,*;q=0.3

Accept-Encoding:gzip,deflate,sdch

Accept-Language:es-ES,es;q=0.8

Authorization:Negotiate

TIRMTVNTUAADAAAAGAAAYAGoAAAAYABgAggAAAAoACgBIAAAACgAKAFIAAAAOAA4AXAA
AAAAAAACaAAAABYKlogUBKAoAAAAPTgBUAEIASQBPADIANAAzADMAMABCAFAAQwA4A

DUAMQA5AlMiUdgjK1sgAAAAAAAAAAAAAAAAAAAAACl6K/jgsz1Xxi4Wp7mGrOE5hKIEekRitg
==
Cache-Control:max-age=0
Connection:keep-alive
Cookie:UserType=P; idioma=es%2DES;
ASPSESSIONIDQABDBSDD=DCILLDNCIFEHFLHEEILJJJEAD
Host:myintranet
If-Modified-Since:Thu, 10 Nov 2011 14:49:40 GMT
If-None-Match:"3a5dcbf9b79fcc1:0"
Range:bytes=0-1048575
User-Agent:Mozilla/5.0 (Windows NT 5.1) AppleWebKit/536.5 (KHTML, like Gecko)
Chrome/19.0.1084.52 Safari/536.5

Response Headers
Accept-Ranges:bytes
Date:Tue, 05 Jun 2012 06:50:15 GMT
ETag:"3a5dcbf9b79fcc1:0"
Last-Modified:Thu, 10 Nov 2011 14:49:40 GMT
MS-Author-Via:MS-FP/4.0
MicrosoftOfficeWebServer:5.0_Pub
Server:Microsoft-IIS/7.0
X-Powered-By:ASP.NET

In addition I have found that when entering the address directly in the browser I get the file downloaded if I use Internet Explorer and Chrome. However if I use Firefox I get the same html page I get when using the U++ program.

Subject: Re: Http file download question
Posted by [tojocky](#) on Tue, 05 Jun 2012 21:02:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mirek: Thank you. maybe I'm wrong.

Koldo: if I understood you correctly, you want to download a file from a server. You want to make the sever to communicate with browser for downloading a file. If yes, then I think you should put in response header package tags (you missed):

1. Content-Type: more detaild is described here
2. Content-Disposition:attachment; filename="<wanted file name for save>"
3. Content-Length: <your file length>

Let me know if I'm wrong.

Sorry for confuse you if I was.

Subject: Re: Http file download question

Posted by [koldo](#) on Wed, 06 Jun 2012 06:29:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you Ion

I wanted to do a program in U++ to download a file. Because of it I used GuiWebDownload as a base.

About this:

Quote:1. Content-Type: more detailed is described here

I have used this: `http.Header("Content-Type", "application/octet-stream");`

Quote:2. Content-Disposition:attachment; filename="<wanted file name for save>"

I have used this: `http.Header("Content-Disposition", "attachment; filename=<fileName>");`

Quote:3. Content-Length: <your file length>

I do not know file length before downloading it. Does it serve when uploading files?

Subject: Re: Http file download question

Posted by [mirek](#) on Fri, 08 Jun 2012 13:52:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Tue, 05 June 2012 03:01

In addition I have found that when entering the address directly in the browser I get the file downloaded if I use Internet Explorer and Chrome. However if I use Firefox I get the same html page I get when using the U++ program.

Well, obviously your intranet is using some really specific tricks...

I would concentrate now on real meaning of http codes 304 and 307.

Subject: Re: Http file download question

Posted by [koldo](#) on Mon, 25 Jun 2012 16:34:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek

I have done it successfully using WGET . The output is:

```
C:\>wget http://myintranet/myfile.pdf --http-user=MYUSERNAME
--http-password=MYPASSWORD -Omyfile.pdf
--2012-06-25 18:17:31-- http://myintranet/myfile.pdf
Resolving myintranet... 122.11.4.32
Connecting to myintranet[122.11.4.32]:80... connected.
HTTP request sent, awaiting response... 401 Unauthorized
Connecting to myintranet[122.11.4.32]:80... connected.
HTTP request sent, awaiting response... 401 Unauthorized
```

Reusing existing connection to myintranet:80.
HTTP request sent, awaiting response... 200 OK
Length: 2127943 (2.1M) [application/pdf]
Saving to: `myfile.pdf'

100%[=====>] 2,127,943 --K/s in 0.04s

2012-06-25 18:17:31 (73.0 MB/s) - `mydoc.pdf' saved [1707881/1707881]

Subject: Re: Http file download question
Posted by [koldo](#) on Tue, 26 Jun 2012 09:49:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek

It also works using CURL. The trick is to add --ntlm option (from CURL doc: The NTLM authentication method was designed by Microsoft and is used by IIS web servers. It is a proprietary protocol, reverse-engineered by clever people and implemented in curl based on their efforts):

```
C:\>curl -u myusername:mypassword --ntlm -O http://myintranet/myfile.pdf -v
* About to connect() to myintranet port 80 (#0)
* Trying 152.41.2.31... % Total % Received % Xferd Average Speed Time
Time Time Current
Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0co
nnected
* Connected to myintranet (152.41.2.31) port 80 (#0)
* Server auth using NTLM with user 'myusername'
> GET /myfile.pdf HTTP/1.1
> Authorization: NTLM
TIRMTVNTUAAABAAAAt4II4gAAAAAAAAAAAAAAAAAAAAAFASgKAAAADw==
> User-Agent: curl/7.21.4 (i386-pc-win32) libcurl/7.21.4 OpenSSL/0.9.8r zlib/1.2
.5
> Host: myintranet
> Accept: */*
>
< HTTP/1.1 401 Unauthorized
< Content-Type: text/html; charset=us-ascii
< Server: Microsoft-HTTPAPI/2.0
< WWW-Authenticate: NTLM
TIRMTVNTUAAACAAAACgAKADgAAAA1gonippnZh0iAu7MAAAAAAAAAAAAAIQ
AhABCAAAAABgByFwAAAAA9OAFQAQgBJAE8AAgAKAE4AVABCAEkATwABAAoAQgBOAFQAN
gAyAAQAGABiAGk
AbwAuAHMAZQBwAGUAcgAuAGUAcwADACQAQgBOAFQANgAyAC4AYgBpAG8ALgBzAGUAb
gBIAHIALgBIAHM
ABQAQAHAZQBwAGUAcgAuAGUAcwAHAAGAFiLFkH1TzQEAAAAA
```

```
< Date: Tue, 26 Jun 2012 09:25:02 GMT
< Content-Length: 341
<
* Ignoring the response-body
{ [data not shown]
100 341 100 341 0 0 21312 0 --:--:-- --:--:-- --:--:-- 333k*
Connection #0 to host myintranet left intact
* Issue another request to this URL: 'http://myintranet/myfile.pdf'
* Re-using existing connection! (#0) with host myintranet
* Connected to myintranet (152.41.2.31) port 80 (#0)
* Server auth using NTLM with user 'myusername'
> GET /myfile.pdf HTTP/1.1
> Authorization: NTLM
TIRMTVNTUAADAAAAGAAAYAGoAAAAYABgAggAAAAoACgBIAAAACgAKAFIAAA
AOAA4AXAAAABAAEACaAAAANYKI4gUBKAoAAAAPUwBFAE4ARQBSADIAMwA4ADUAMwB
CAFAAQwA2ADUAAOA
AxAFaQ7c+fdOfVAAAAAAAAAAAAAAAAAAAAAAAAALjckl63UGzagqVOVul+10LsuaHq+iRwvcfBV7+I
IKyYII
pwvm0d4iU=
> User-Agent: curl/7.21.4 (i386-pc-win32) libcurl/7.21.4 OpenSSL/0.9.8r zlib/1.2
.5
> Host: myintranet
> Accept: */*
>
< HTTP/1.1 200 OK
< Content-Type: application/pdf
< Last-Modified: Thu, 10 Nov 2011 14:49:40 GMT
< Accept-Ranges: bytes
< ETag: "3a5dcbf9b79fcc1:0"
< Server: Microsoft-IIS/7.0
< X-Powered-By: ASP.NET
< MicrosoftOfficeWebServer: 5.0_Pub
< MS-Author-Via: MS-FP/4.0
< Date: Tue, 26 Jun 2012 09:25:02 GMT
< Content-Length: 1707881
<
{ [data not shown]
100 1667k 100 1667k 0 0 34.6M 0 --:--:-- --:--:-- --:--:-- 34.6M*
Connection #0 to host myintranet left intact

* Closing connection #0
```

Subject: Re: Http file download question
Posted by [mirek](#) on Tue, 26 Jun 2012 10:37:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Maybe it just needs password... Have you provided some?

(Using User or Digest)

Subject: Re: Http file download question

Posted by [koldo](#) on Tue, 26 Jun 2012 11:03:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek

Yes of course . If I do not put any password it does not download anything.

With the password it downloads the html page in the first post.

It is funny that I get the same html page using Firefox but I get the file using Chrome or Explorer.

Subject: Re: Http file download question

Posted by [mirek](#) on Tue, 26 Jun 2012 11:15:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Tue, 26 June 2012 07:03Hello Mirek

Yes of course . If I do not put any password it does not download anything.

With the password it downloads the html page in the first post.

It is funny that I get the same html page using Firefox but I get the file using Chrome or Explorer.

Well, at least we are as good as Firefox..

I guess it has something to with that NTLM thing...
