

---

Subject: (SOLVED) ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Tue, 20 Aug 2013 10:26:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Sorry for the big image. But is easier for me to explain.

The code I use for the example

```
#include <ScatterCtrl/ScatterCtrl.h>
using namespace Upp;

#define LAYOUTFILE <TestScatter/TestScatter.lay>
#include <CtrlCore/lay.h>

class TestScatter : public WithTestScatterLayout<TopWindow> {
public:
    enum {
        NPOINTS = 1000,
    };
    typedef TestScatter CLASSNAME;
    Vector<Pointf> points;
    TestScatter();
};

TestScatter::TestScatter()
{
    int x,y,yMax = 0;

    points.SetCount(NPOINTS);
    Pointf * pv = points.Begin();

    for(x = 0; x < NPOINTS; x++, pv++) {
        pv->x = (double)x;
        y = rand();
        if(yMax < y) {
            yMax = y;
        }
        pv->y = (double)(y);
    }

    sv.AddSeries(points).Legend("Y").Opacity(0.3).NoMark().Stroke(1);
    sv.SetFastViewX().SetSequentialX().SetDrawXReticle().SetDrawYReticle().SetSequentialXAll();
    sv.ShowInfo().ShowContextMenu().SetMouseHandling().SetMaxZoom(1000).SetMinZoom(10);
    sv.ShowHGrid(false).ShowVGrid(false).SetLabels("X","Y");
    sv.SetXYMin(0,0,0).SetRange(NPOINTS, yMax);
```

```
sv.Refresh();

Zoomable().Sizeable();
CtrlLayout(*this, "Window title");
}

GUI_APP_MAIN
{
    TestScatter().Run();
}
```

The Layout is just

```
LAYOUT(TestScatterLayout, 368, 248)
    ITEM(ScatterCtrl, sv, HSizePosZ(28, 40).VSizePosZ(24, 24))
END_LAYOUT
```

The first problem (the one in which the points are not in the correct position) does not happen when the image is exported, only when its shown.

As for the 2nd problem. How I get a zoom out limited to the size of the data?

## File Attachments




1) [scatter.png](#), downloaded 947 times



When in range the lines do not meet the scale.  
As shown when ones zooms in.



How do I avoid Over Zoom Out?



Subject: Re: ScatterCtrl, 2 questions.  
Posted by [koldo](#) on Fri, 23 Aug 2013 14:29:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello rxantos

To be sure of your questions:

- You want to programatically zoom the data just to fit data in X and Y axis
  - You want to avoid that the user would over zoom out the data.
- 

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Fri, 23 Aug 2013 15:07:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for responding.

When the mouse wheel is used, the user can zoom in and out. I want to know how to I limit the zoom out so that the x range is never greater than the data range. In the x I just use 0,1,2,3, etc. Lets say its from 0 to 1,000. Right now if the user zooms out with the wheel, the range goes in the negative in one side and over 1,000 in the other. I want it so that it always stays at a maximum zoom out of 0 to 1000. while allowing a zoom in lets say 0 to 10,

The 2nd problem:

The Y data is not the random I show in the example, but it has the same problem. Sometimes the spikes in the data are skipped and the data seem clean when in reality there is a spike on an area. The problem does not happen when exporting a png from the control only when using the control. My guess is that for speed reason some of the data is skipped when rendering the control. Lets say the same data 0 to 1000 and there are 100 pixels. And point 7 is an 8, point 9 a 100 and point 10 a 10. Sometimes the spike (The 100) is not shown. And sometimes it is. I wonder if there is a setting to avoid this and make it always show the spike (a flag maybe).

---

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [koldo](#) on Fri, 23 Aug 2013 16:02:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello rxantos

factor. If y is -1, only x zoom is considered.". Is it enough for you?

- About the spikes, SetFastViewX() renders faster as it only takes a point per pixel column, so there is data that is discarded. However i am surprised that it does not work for you saving the control to a .png image. Could you confirm this? You can do it with a sv.SaveToFile(filename).
- 
-


Subject: Re: ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Sat, 24 Aug 2013 05:21:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Here is a screen shot of the control.

### File Attachments

1) [Screenshot - 8\\_24\\_2013 , 12\\_14\\_00 PM.png](#), downloaded 858 times



---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Sat, 24 Aug 2013 05:24:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

And here is the resulting png. Look how in the result it has the spikes (what I need) and in the other it doesn't. I do not mind updating one second. But need to identify spikes.

Now that I think of it, it might be that the result is bigger in the png, thus less bars skipped.

Anyway, to keep things simple.


What would be the calls to:

- Disable bar skipping. Maybe enabling it while zooming and do a full render after the image is at the size the user one.

- Limiting the zoom out. If for example the data in x is 0 to 100, do not let the borders to be <0 or greater than 100.

## File Attachments

1) [test.png](#), downloaded 834 times



---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Sat, 24 Aug 2013 05:33:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Just in case the sample code.

BTW: Thanks for taking time to respond.

## File Attachments

---

1) [TestScatter.zip](#), downloaded 578 times

---

Subject: Re: ScatterCtrl, 2 questions.

Posted by [jerson](#) on Sat, 24 Aug 2013 07:53:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I found this `.SetFastViewX()` to be causing the behavior you describe.

Hope that helps

---

Subject: Re: ScatterCtrl, 2 questions.

Posted by [rxantos](#) on Sat, 24 Aug 2013 09:04:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

[jerson](#) wrote on Sat, 24 August 2013 03:53: I found this `.SetFastViewX()` to be causing the behavior you describe.

Hope that helps

A self inflicted problem. Sorry about that.

Thank you, that solved the missing spikes problem.

However the over zoom out one still present.

I tried

```
// NPOINTS = 1000 the number of points, where x = 0,1,2,...,999
sv.SetMaxZoom(NPOINTS, -1);
```

and still managed to get something like:


by using the mouse wheel.

## File Attachments

---

1) [Screenshot - 8\\_24\\_2013 , 03\\_51\\_20 PM.png](#), downloaded 856 times

---



---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [koldo](#) on Sat, 24 Aug 2013 17:12:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hello rxantos

- About the spikes

You can see that when changing the window size. The bigger the window, the more spikes you can see. This is of course a limitation of SetFastViewX(): if data "jumps" too much, much information is lost.

- About the data range

Your use of SetMaxZoom(NPOINTS) is not right as it works with zoom factor instead of with data range.

To take care of this some new functions will be added tomorrow to set visible limits:

- The minimum X and Y (X = 0 in your case)
- The maximum X and Y (X = 1000 in your case)
- The minimum X and Y ranges (X = 10 in your case)
- The maximum X and Y ranges (X = 1000 in your case)

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Sun, 25 Aug 2013 02:27:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Thank you.

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [koldo](#) on Mon, 26 Aug 2013 16:50:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello rxantos

Still working on it. I will try to upload it tomorrow.

---

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [koldo](#) on Thu, 29 Aug 2013 06:08:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello rxantos

It is done. Added and documented `SetMinRange()`, `SetMaxRange()`, `SetMinXmin()`, `SetMinYmin()`, `SetMaxXmax()`, `SetMaxYmax()`.

To try to compensate the delay, the control now highlights when a limit in zoom or scroll is reached

You could put this in your code:

```
.SetMaxRange(1000).SetMinRange(10).SetMinXmin(0).SetMaxXmax(1000);
```

In addition instead of `rand()` there is a `Random(dword max)` to get a random number smaller than `max`.

My next comment was wrong `SetMaxZoom() == SetMaxRange()`. It sets the visible data range.  
Quote:Your use of `SetMaxZoom(NPOINTS)` is not right as it works with zoom factor instead of with data range.

---

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [rxantos](#) on Thu, 29 Aug 2013 08:48:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Just tried and is now perfect. Thanks.


I have another question. When zooming the text in the X axis sometimes overlaps.

---

## File Attachments

1) [Screenshot - 8\\_29\\_2013 , 03\\_17\\_49 PM.png](#), downloaded 756 times

---



Is there a way to avoid this?

---

Subject: Re: ScatterCtrl, 2 questions.  
Posted by [koldo](#) on Fri, 30 Aug 2013 06:18:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hello Rxantos

It is now solved.